

**NAVFAC  
SPECIFICATION**

**7173753  
B152 & B4495 Paint  
Three (3) Fuel Tanks**

**MCAS Cherry Point, NC  
AMENDMENT #0002**

## **IMPORTANT**

**This amendment should be acknowledged when your proposal is submitted. Failure to acknowledge the amendment may constitute grounds for rejection of the proposal.**

**If your proposal has been submitted prior to the receipt of this amendment, acknowledgement should be made by telegram, which should state whether the price contained in your proposal is to remain unchanged, is to be decreased by an amount, or is to be increased by an amount. The acknowledgement must be received prior to proposal opening time.**

<b>AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT</b>			1. CONTRACT ID CODE	PAGE 1	OF PAGES 2
2. AMENDMENT/MODIFICATION NO. 0002	3. EFFECTIVE DATE 04/19/2020	4. REQUISITION/PURCHASE REQ. NO. 7173753	5. PROJECT NO. (If applicable)		
6. ISSUED BY  <b>CG MCAS Cherry Point FACILITIES, ROICC B-163, CURTIS ROAD PSC BOX 8006 CHERRY POINT, NC 28533</b>		7. ADMINISTERED BY (If other than item 6.)		Code	
8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code)  <b>AMENDMENT MUST BE ACKNOWLEDGED WITH YOUR PROPOSAL</b>			<input checked="" type="checkbox"/>	9A. AMENDMENT OF SOLICITATION B152 & B4495 Paint Three (3) Fuel Tanks	
				9B. DATED (SEE ITEM 11)	
			<input type="checkbox"/>	10A. MODIFICATION OF CONTRACT/ORDER NO.	
				10B. DATED (SEE ITEM 13)	
CODE	FACILITY CODE				

**11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS**

☒ The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers ☐ is extended ☒ is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing items 8 and 15, and returning 1 copy of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

**12. ACCOUNTING AND APPROPRIATION DATA (if required)**

**13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS,  
IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.**

<input type="checkbox"/>	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14. ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
<input type="checkbox"/>	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATION CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103 (b).
<input type="checkbox"/>	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
<input type="checkbox"/>	D. OTHER: (specify type of modification and authority)

E. IMPORTANT: Contractor ☐ is not ☐ is required to sign this document and return **original** to the issuing office.

**14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)**

7173753 B152 & B4495 Paint Three (3) Fuel Tanks, Marine Corps Air Station Cherry Point, NC

This amendment is being issued to respond to pre-award RFIs and provide revised SOW.

The deadline to submit pre-award RFIs remains 25 April 2022 by 0900.

The proposal due date of 5 May 2022 at 1200 local times remains UNCHANGED.

See Attached.

15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)	
15B. CONTRACTOR/OFFEROR (Same as Item 8)	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA BY	16C. DATE SIGNED
(Signature of person authorized to sign)		(Signature of Contracting Officer)	

RFI Responses:

7. As sandblasting is considered hot work, will the tanks be emptied and cleaned prior to blasting activities?

*Response: No the tanks will not be emptied and cleaned, due to the amount of diesel in the tanks that is not an option*

*Submit Proposals in accordance with RFP, Specifications, Drawings, and all Amendments.*

8. Another consideration is that blasting will possibly cause grit/dust to infiltrate into the tank via vents, hoods, etc. What is the Government's view on that possibility?

*Response: If the water/vapor blasting method is used, that should minimize intrusion of grit and dust.*

*Submit Proposals in accordance with RFP, Specifications, Drawings, and all Amendments.*

9. To minimize costs, will containment and DH be required for each of the tanks?

*Response: No containment and DH will not be required.*

*Submit Proposals in accordance with RFP, Specifications, Drawings, and all Amendments.*

10. Will water/vapor blasting be allowed to avoid total containment? There will be some dust but most will be captured in the water vapor and fall to the ground.

*Response: Water/vapor blasting will be allowed and is the preferred method for this situation.*

*Submit Proposals in accordance with RFP, Specifications, Drawings, and all Amendments.*

CONTINUATION SHEET

PROJECT TABLE OF CONTENTS

Statement of Work has been modified to add water/vapor sandblasting under detailed requirement 13.1a and 1.3.2a dated 4/19/2022.

Paint Fuel Tanks (BLDG 152, an BLDG 4495)  
MCAS CHERRY POINT, NORTH CAROLINA 28533-0006  
WORK ORDER #7173753

1.1 GENERAL INTENTION

The work includes painting fuel storage tanks and incidental related work.

1.2 LOCATION

The work is located at MCAS Cherry Point building 152, approximately as indicated. The exact location will be shown by the Contracting Officer.

1.3 DETAILED REQUIREMENTS.

1.3.1 Bldg. 152

a. 85,000 gallon tank (approximately 25' 7" x 25'), and 250,000 gallon tank (approximately 37' 2" x 35'), shall be surface prep by water/vapor sand blasting all old paint and material off of the fuel tanks, the fuel lines, and all piping inside of the fuel berm, approximately 8,800 square feet.

b. The contractor shall protect the galvanized spiral staircases from the blasting, and the coating. Contractor shall apply three coats of like in kind or better than AMERCOAT 385 epoxy paint to all tanks, and piping inside of fuel berm, then apply a finish coat of like in kind or better than PPG PSX 700, to approximately 8,800 square feet, the coating requirements are the same for the pipes as the tanks.

c. Once paint is fully cured, Contractor shall stencil black letters to match existing letters approximately 6" letters at approximately 12 ft. height. Replace existing signage with new like in kind at same height as current signage.

d. All discarded materials shall be disposed of off base.

1.3.2 Bldg. 4495

a. 25,000 gallon tank shall be surface prep by water/vapor sand blasting all old paint and material off of the fuel tanks, the fuel lines, and all piping inside of the fuel berm, approximately 1,750 square feet.

- b. Contractor shall apply three coats of like in kind or better than AMERCOAT 385 epoxy paint to all tanks, and piping inside of fuel berm, then apply a finish coat of like in kind or better than PPG PSX 700, to approximately 1,750 square feet.
- c. Once paint is fully cured, Contractor shall stencil black letters to match existing letters approximately 6" letters at approximately 12 ft. height. Replace existing signage with new like and kind at same height as current signage.
- d. All discarded materials shall be disposed of off base.

#### 1.4 SPECIAL SCHEDULING REQUIREMENTS

Have materials, equipment, and personnel required to perform the work at the site prior to the commencement of the work.

The Central Heat Plant and the 4495 Test Cell, will remain in operation during the entire construction period. The Contractor must conduct his operations so as to cause the least possible interference with normal operations of the activity. The contract shall be completed within one hundred fifty (150) days of award.

Permission to interrupt any activity roads, railroads, or utility service must be requested in writing a minimum of 15 calendar days prior to the desired date of interruption and in accordance with section 1.10.

#### 1.5 CONTRACTOR ACCESS AND USE OF PREMISES

DBIDS has gone live at MCAS Cherry Point. In order to reduce wait time when exchanging your RapidGate credential, it is highly recommended each applicant pre-register at <https://dbids-global.dmdc.mil/enroll#!/>

Non-DoD cardholding visitors to Marine Corps Installations with a driver's license or ID issued by a state that is not compliant with the Real ID Act of 2005 will now need to provide an alternate form of acceptable identification to gain entry, or be escorted by an authorized patron of the air station.

North Carolina now issues REAL ID compliant driver's licenses, but many drivers have yet to be issued the new license. Drivers may get a North Carolina REAL ID driver's license at any NCDMV driver's license office.

The Act established minimum security standards for license issuance and production and prohibits Federal agencies from accepting driver's licenses and identification cards from states not meeting the Act's minimum standards.

In absence of a compliant state issued driver's license or ID, one of the following federally approved forms of identification must also be provided in addition to the non-compliant driver's license or ID:

1. U.S. Passport
2. U.S. Passport Card
3. U.S. Coast Guard Merchant Mariner Card
4. Personal Identity Verification (PIV) Card
5. Personal Identity Verification - Interoperable (PIV-I)
6. U.S. State Department Driver's License
7. Veteran's Health Identification Card (Issued by the U.S. Department of Veterans Affairs)
8. U.S. Permanent Resident Card (Form I-551)
9. U.S. Certificate of Naturalization or Certificate of Citizenship (Form N-550)
10. Department of Homeland Security Employment Authorization Document (Form I-766)

#### 1.5.1 ACTIVITY REGULATIONS

Ensure that Contractor personnel employed on the Activity become familiar with and obey Activity regulations including safety, fire, traffic and security regulations. Keep within the limits of the work and avenues of ingress and egress. Wear hard hats in designated areas. Do not enter any restricted areas unless required to do so and until cleared for such entry. Mark Contractor equipment for identification.

##### 1.5.1.1 SUBCONTRACTORS AND PERSONNEL CONTACTS

Provide a list of contact personnel of the Contractor and subcontractors including addresses and telephone numbers for use in the event of an emergency. As changes occur and additional information becomes available, correct and change the information contained in previous lists.

1.5.1.2 This section was intentionally left blank.

1.5.1.2.1 This section was intentionally left blank.

1.5.1.2.2 This section was intentionally left blank.

1.5.1.2 This section was intentionally left blank.

#### 1.5.1.3 INSTALLATION ACCESS

Obtain access to Navy and Marine Corps installations through participation in the Defense Biometrics Identification System (DBIDS). Requirements for Contractor employee registration, and transition for employees currently under Navy Commercial Access Control System (NCACS), are available at <https://www.cnmc.navy.mil/om/dbids.html>. No fees are associated with obtaining a DBIDS credential.

Participation in the DBIDS is not mandatory, and Contractor personnel may apply for One-Day Passes at the Base Visitor Control Office to access an installation.

##### 1.5.1.3.1 REGISTRATION FOR DBIDS

Registration for DBIDS is available at <https://www.cnmc.navy.mil/om/dbids.html>. Procedure includes:

- a. Present a letter or official award document (i.e. DD Form 1155 or SF 1442) from the Contracting Officer that provides the purpose for access to the Base Visitor Control Center representative.
- b. Present valid identification, such as a passport or Real ID Act-compliant state driver's license.
- c. Provide completed SECNAV FORM 5512/1 to the Base Visitor Control Center representative to obtain a background check. This form is available for download at <https://www.cnmc.navy.mil/om/dbids.html>.
- d. Upon successful completion of the background check, the Government will complete the DBIDS enrollment process, which includes Contractor employee photo, finger prints, base restriction and several other assessments.



- e. Upon successful completion of the enrollment process, the Contractor employee will be issued a DBIDS credential, and will be allowed to proceed to worksite.

#### 1.5.1.3.2 DBIDS ELIGIBILITY REQUIREMENTS

Throughout the length of the contract, the Contractor employee must continue to meet background screen standards. Periodic background screenings are conducted to verify continued DBIDS participation and installation access privileges. DBIDS access privileges will be immediately suspended or revoked if at any time a Contractor employee becomes ineligible.

An adjudication process may be initiated when a background screen failure results in disqualification from participation in the DBIDS, and Contractor employee does not agree with the reason for disqualification. The Government is the final authority.

#### 1.5.1.3.3 DBIDS NOTIFICATION REQUIREMENTS

Immediately report instances of lost or stolen badges to the Contracting Officer.

Immediately collect DBIDS credentials and notify the Contracting Officer in writing under the following circumstances:

- 1) An employee has departed the company without having properly returned or surrendered their DBIDS credentials.
- 2) There is a reasonable basis to conclude that an employee, or former employee, might pose a risk, compromise, or threat to the safety or security of the Installation or anyone therein.

#### 1.5.1.3.4 ONE-DAY PASSES

Personnel applying for One-Day passes at the Base Visitor Control Office are subject to daily mandatory vehicle inspection, and will have limited access to the installation. The Government is not responsible for any cost or lost time associated with obtaining daily passes or added vehicle inspections incurred by non-participants in the DBIDS.

#### 1.5.1.4 NO SMOKING POLICY

Smoking is prohibited within and outside of all buildings on installation, except in designated smoking areas. This applies to existing buildings, buildings under construction and buildings under renovation. Discarding tobacco materials other than into designated tobacco receptacles is considered littering and is subject to fines. The Contracting Officer will identify designated smoking areas.

#### 1.5.2 WORKING HOURS

Regular working hours shall consist of an 8 1/2 hour period normally between the hours of 7:00 am to 3:30 pm, Monday through Friday, excluding Government holidays.

#### 1.5.3 WORK OUTSIDE REGULAR HOURS

Work outside regular working hours requires Contracting Officer approval. Make application 15 calendar days prior to such work to allow arrangements to be made by the Government for inspecting the work in progress, giving the specific dates, hours, location, type of work to be performed, contract number and project title. Based on the justification provided, the Contracting Officer may approve work outside regular hours. During periods of darkness, the different parts of the work must be lighted in a manner approved by the Contracting Officer. Make utility cutovers after normal working hours or on Saturdays, Sundays, and Government holidays unless directed otherwise.

#### 1.5.4 EXCLUSIONARY PERIOD

No work must be performed during the periods Holidays or weekends, inclusive, without prior written approval of the Contracting Officer. This period has not been considered in computing the time allowed for the performance of this contract.

#### 1.5.5 OCCUPIED BUILDING[S]

The Contractor shall be working around existing buildings which is occupied. Do not enter the buildings without prior approval of the Contracting Officer.

The existing buildings and their contents must be kept secure at all times. Provide temporary closures as required to maintain security as directed by the Contracting Officer.

Relocate movable furniture approximately 6 feet away from the Contractor's working area as required to perform the work, protect the furniture, and replace the furniture in their original locations upon completion of the work. Leave attached equipment in place, and protect them against damage, or temporarily disconnect, relocate, protect, and reinstall them at the completion of the work.

The Government will remove and relocate other Government property in the areas of the buildings scheduled to receive work.

#### 1.5.6 UTILITY CUTOVERS AND INTERRUPTIONS

Make utility cutovers and interruptions after normal working hours or on Saturdays, Sundays, and Government holidays. Conform to procedures required in the paragraph "Work Outside Regular Hours."

Ensure that new utility lines are complete, except for the connection, before interrupting existing service.

Interruption to water, sanitary sewer, storm sewer, telephone service, electric service, air conditioning, heating, fire alarm, and compressed air are considered utility cutovers pursuant to the paragraph entitled "Work Outside Regular Hours."

Operation of Station Utilities: The Contractor must not operate nor disturb the setting of control devices in the station utilities system, including water, sewer, electrical, and steam services. The Government will operate the control devices as required for normal conduct of the work. The Contractor must notify the Contracting Officer giving reasonable advance notice when such operation is required.

#### 1.6 SECURITY REQUIREMENTS

##### 1.6.1 STATION REGULATIONS

No employee or representative of the contractor will be admitted to the work site without an Identification Badge or is specifically authorized admittance to the work site by the FEAD, Facilities Engineering & Acquisition Division.

IMPORTANT NOTE: FEAD personnel (Construction Managers, Engineers/Architects, Engineering Technicians, Contract

Specialists, or Contract Surveillance Representatives) will not receive, process, re-transmit or otherwise handle IN ANY WAY Personally Identifiable

#### 1.6.2 CONTRACTOR ACCESS TO MCAS CHERRY POINT AND OUTLYING AREAS

Documentation requirements for granting access to MCAS Cherry Point for commercial and contract employers and employees. This document is an aid in meeting ASO 5560.6A requirements and is not a substitute for the order.

The Pass & Identification Office at Building 251 will issue credentials to authorized contractors. Sub-Contractors and suppliers must coordinate through the Prime-Contractor:

Criminal Activity. In accordance with ASO 5560.6A, the below list of criminal activities within an applicant's record are considered not in the best interest of the Marine Corps and will be grounds for automatic denial of access aboard the Installation:

- a. Conviction of any felony offense.
- b. Conviction of any misdemeanor offense, which was the result of a plea bargain of a felony offense.
- c. Conviction of any offense involving a weapon.
- d. Conviction of any drug offense involving manufacturing or trafficking.
- e. More than one misdemeanor conviction of drug related offenses over the applicant's lifetime or one misdemeanor drug related offense within the last five years.
- f. Conviction of any assault charge.
- g. Conviction of any offense involving theft or larceny.
- h. Conviction of any offense of domestic violence.
- i. Conviction of any offense related to the abuse/neglect of a child.
- j. Conviction of any sexual in nature related offense or registration as a sex offender.

- k. Commission of any grievous criminal offense/misconduct while aboard any Federal installation, including blatant disregard for rules and regulations of the Installation, but excluding minor traffic offenses.
- l. Other than Honorable, Bad Conduct, and Dishonorable discharges from the U.S. Military.
- m. Those identified as undocumented citizens.
- n. Those on the National Terrorist Watch List.
- o. Any individual who attempts to hide or purposely fails to disclose all past criminal history during the vetting process.
- p. Any individual that the Provost Marshal's Office determines to present a risk to the security and safety of the Installation and whose access is deemed not in the best interest of the Marine Corps.
- q. Any individual who has been debarred from the Installation by the Installation Commander or is currently listed as debarred from any other Federal installation.
- r. Any individual with an outstanding warrant for their arrest or apprehension.
- s. Any individual with a pending criminal court case that, if convicted, would result in access denial in accordance with the criteria listed above.

[1.6.3 FLIGHTLINE SECURITY REQUIREMENTS This section was intentionally left blank.

[1.6.4 FLEET READINESS CENTER, EAST (FRC EAST) This section was intentionally left blank.

[1.6.4.1 Mandatory Contract Performance Requirements for FRC East This section was intentionally left blank.

[1.6.4.2 Additional Contract Performance Requirements for FRC East This section was intentionally left blank.

[1.6.5 TRANSPORTATION TO AND FROM PINEY ISLAND (BT-11) this section was intentionally left blank.

#### 1.6.6 STAGING AREA

The contractor staging area will be (PM to coordinate). Amount of material on site shall be kept to a minimum and shall only be material that is pertinent to the work currently being performed. All stockpiling of equipment and materials shall be closely coordinated with the Government and shall not disrupt activities at the site.

#### 1.7 MINIMUM INSURANCE REQUIREMENTS

Provide the minimum insurance coverage required by FAR 28.307-2 Liability, during the entire period of performance under this contract. Provide other insurance coverage as required by North Carolina Law.

#### 1.8 SUPERVISION

The complexity of this project will require one person to fill the roles of the Superintendent, Quality Control Manager, and Site Safety and Health Officer.

#### 1.9 SUBMITTALS This section was intentionally left blank.

#### 1.10 PLANNED OUTAGES AND SERVICE DISRUPTIONS

Planned outages and service disruptions are requested by the contractor for approval by the Government when necessary to facilitate and/or accomplish contract work. Affected services include utilities (steam, water, waste water, and electrical service), communications (telephone, network, industrial control systems, and fire/security alarm systems, fire protection equipment, infrastructure, and road closures. Disruption of these services cannot be allowed without written approval of the government.

The contractor is required to 1) request the outage in writing and 2) demonstrate sufficient contingency preparedness in the event that service cannot be restored due to a failure in accomplishment of contract work.

All outages require Contractor's written request fifteen (15) days prior to commencement of such work. The request shall be submitted to the COR with the date, time, duration, and scope of the outage.

As supporting documentation for the request, the contractor is required to submit a contingency plan for all reasonably foreseen risks related to the contractor's performance of the work that would impact disrupted services in excess of the approved outage. This plan must demonstrate the following at a minimum.

1. Understanding of key personnel and communications methods to include phone numbers.
2. Analysis of reasonable risks during the contract work that would impact disrupted services in excess of the approved outage.
3. An effective recovery plan to restore minimum essential services in the event of these risks materializing.
4. Requested government support.

The government will similarly produce risk-based contingency plans for restoration of essential services caused by reasonably foreseen factors that are not related to the performance of the contract. In these cases, the government may request the contractor make additional preparations to support essential and high risk services. Such requests are considered within the scope of this contract but will be priced and negotiated via modification as conditions warrant.

Approvals will be issued by the Public Works Officer or his/her designee and transmitted via the COR.

#### 1.11 GOVERNMENTAL SAFETY REQUIREMENTS

Personal protective equipment (PPE) is governed in all areas by the nature of the work the employee is performing. Use personal hearing protection at all times in designated noise hazardous locations or when performing noise hazardous tasks. Safety glasses must be worn or carried/available on each person. Mandatory PPE includes: hard hats, long pants, appropriate safety shoes, and appropriate class reflective vest.

Comply with the Safety and Health Requirements Manual (EM 385-1-1), NFPA 70, NFPA 70E, NFPA 241, the Accident Prevention Plan (APP), the Activity Hazard Analysis (AHA), Federal and State OSHA regulations, and other related submittals and activity fire and safety regulations. The most stringent standard prevails.

An APP in accordance with EM 385-1-1, Appendix A, is required.

An AHA in accordance with EM 385-1-1, Section 1, is required for each activity or task.


The contractor is responsible for any required permits.

#### 1.12 EXECUTION

If during the course of the work, conditions are encountered which are not covered in the contract or are different from conditions that would be reasonably anticipated, the contractor shall immediately notify the Contracting Officer. If such conditions are hazardous or the continuation of work would cause a hazardous condition to develop, the contractor shall stop work and proceed as directed by the Contracting Officer as directed by provisions contained in other sections of this specification. This may include modifications to, or the development of a new, Health and Safety Plan for this project, and alternate or additional appropriate abatement procedures.







25,000 GALLON TANK



