

1. CONTRACT ID CODE		PAGE		OF PAGES	
J		1		16	
2. AMENDMENT/MODIFICATION NO. 0004		3. EFFECTIVE DATE 1/12/2023		4. REQUISITION/PURCHASE REQ.	
				PROJECT NO. (If applicable)	
6. ISSUED BY NAVFACSYSCOM MID-ATLANTIC CONTRACTING CORE 9324 VIRGINIA AVENUE NORFOLK, VA 23511-3095		Code N40085		7. ADMINISTERED BY (If other than item 6.)	
				Code	
8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code)				<input checked="" type="checkbox"/>	9A. AMENDMENT OF SOLICITATION NO. N40085-23-R-2523
				<input checked="" type="checkbox"/>	9B. DATED (SEE ITEM 11) 12/1/2022
				<input type="checkbox"/>	10A. MODIFICATION OF CONTRACT/ORDER NO.
					10B. DATED (SEE ITEM 13)
CODE		FACILITY CODE			
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS					
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers <input checked="" type="checkbox"/> is extended <input type="checkbox"/> is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.					
12. ACCOUNTING AND APPROPRIATION DATA (if required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.					
<input type="checkbox"/>	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14. ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.				
<input type="checkbox"/>	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATION CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103 (b).				
<input type="checkbox"/>	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:				
<input type="checkbox"/>	D. OTHER: (specify type of modification and authority)				
E. IMPORTANT: Contractor <input checked="" type="checkbox"/> is not <input type="checkbox"/> is required to sign this document and return copies to the issuing office.					
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)					
<b>N40085-23-R-2523, Design Bid Build Q1553 Cultural Assimilation Expansion, Marine Corps Base Camp Lejeune, North Carolina</b>  SEE SF 30 BLOCK 14 CONTINUATION PAGE  Contract POC: Oteria Bullock; Email: <a href="mailto:oteria.bullock2.civ@us.navy.mil">oteria.bullock2.civ@us.navy.mil</a> ; Phone: 757-341-1645					
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.					
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
15B. CONTRACTOR/OFFEROR (Same as Item 8)		15C. DATE SIGNED		16B. UNITED STATES OF AMERICA	
(Signature of person authorized to sign)				BY	
				(Signature of Contracting Officer)	
				16C. DATE SIGNED	

SF 30 BLOCK 14 CONTINUATION PAGE

The purpose of this amendment is to provide the following:

1. Pre-Proposal Inquiry (PPI) Responses
2. Update Attachment C - Wage Determination – NC20230038 01/06/23 & NC20230090 01/06/2023
3. Provide Revised Drawings
4. Extend proposal due date from 17 January 2023 to 20 January 2023

ATTACHMENTS

1. Amendment 0004 – Attachment 1 – Continuation Sheet and Revised Drawings

The following Proposal Information has been revised (in red):

**Proposal Due Date: Friday, January 20, 2023 at 1400 (02:00 PM) Eastern Standard Time. LATE PROPOSALS WILL NOT BE ACCEPTED.**

Question #	Reference			Question	Government Response
	Page	Section	Paragraph		
1	IF-101			There are M1 TV wall mounts. The TVs are on Sheet TT102 and part of AV Package. Shouldn't the TV wall mounts also be provided in the AV Package and noted on TT102?	TV mounts should be a part of the AV package. They were included in the BVD document.
2	IF-101			S4 is an AV Credenza and should it be noted to be provided in AV package?	The AV credenza should remain as part of the FFE package. The project on which this facility is based provided the credenza as part of FFE.
3	663 / 9	1.6.2		In Section 09 90 00 painting specs will it be necessary to hold a SSPC QP 1 certification listed in 1.6.2 on this job? As its qualifications do not meet the painting required on this job.	SSPC QP 9 Certification is required for conditioned Interior spaces. SSPC QP 1 Certification is not required.
4	9	99000	1.6.2	1-Paint Specification 099000, Page 9, Paragraph 1.6.2 says "SSPC QP 1 Certification" with no further guidance. Are the painters required to be QP-1 certified for this project?	SSPC QP 9 Certification is required for conditioned Interior spaces. SSPC QP 1 Certification is not required.
5	13	99000	3.3.1	2-Specification 099000, Page 13, Paragraph 3.3.1 mentions painting shop coated surfaces. Does this include the PreEngineered buildings structural steel frame?	Yes, it applies to all shop primed metal building framing.
6	C501			The bid form option 4 requires the parking lot be restripped. DWG C501, Detail A5 depicts a typical parking detail. The drawings don't show the full extent of the parking lot to determine linear footage to be painted. Can you provide a complete drawing of the existing parking lot or a linear footage of stripping to be painted?	Refer to sheets C-002 and CS101. The full extent of the parking lot is shown on sheet C-002, Overall Key Plan. Contractor re-striping plan to be submitted to Contracting Officer for approval, prior to beginning re-striping work.

7	661	09 84 20	2.2	Acoustical wall panels. We are struggling to find quantities and locations in the plans and specs	See Sheet IN101, FINISH PLAN - ADDITION: AWP1 is located in MECHANICAL, ROOM 127. See IN601, INTERIOR FINISH LEGEND, SCHEDULE AND DETAILS: AWP1 listed with style and type.
8		09 90 00	1.6.2	Specification 09 90 00 para 1.6.2 SSPC QP 1 Certification – This certification addresses complex industrial and marine coatings applications and does not appear to have any bearing on this project. Please advise if this specification is required.	SSPC QP 9 Certification is required for conditioned Interior spaces. SSPC QP 1 Certification is not required.
9	16-17	Attachment E	n/a	General Bid notes on page 17 of attachment E, letter B indicates CLIN 0002 as Option 1 however as shown on page 16 CLIN 0002 is referred to as Option 2. Can this be clarified?	See update to (Attachment E) Price Proposal Form on Amendment 0003
10				Line items 1 (Base Price) and line item 1A (Subtotal of Base Price) are confusing as written. Is line item 1A for the building "only" to 5' outside of the building line? Is 1 (Base Price) the "total" for Line Items 1, 1A, 1B & 1C? I think the intent for 1A is pricing for the building only & 1 (Base Price) is for a "total" of Items 1 thru 1C however the use of the words "but excluding work provided in another Priced line Item" in the Base Price is confusing. Please advise.	CLIN 0001 is sum total of 1A, 1B, and 1C.
11	C501	D1 & C2		It is indicated that the asphalt shall be a "minimum of 2" of NCDOTS9.5B. According to current NCDOT specifications a single lift of S9.5B cannot be placed thicker than 1.5". Would it be acceptable to switch to S9.5C to allow for a single 2" lift to be placed?	NCDOT 9.5B should be used per project drawings and specifications. We understand that this means the pavement will be placed in two 1-inch lifts rather than a single 2-inch lift.
12	RFP			Could the Highway Davis Bacon be added to this project? Asphalt trades are specified on the Highway Davis Bacon.	See update to (Attachment C) Wage Determination on Amendment 0004

13	RFP			We request that the Highway Davis Bacon be added to this project. The asphalt trades are specified on the Highway Davis Bacon.	See response to PPI No. 12
14				On Sheet C-501 for details D1 and C2 it is indicated that the asphalt shall be a "minimum of 2" of NCDOT S9.5B". According to current NCDOT specifications a single lift of S9.5B cannot be placed thicker than 1.5". Would it be acceptable to switch to S9.5C to allow for a single 2" lift to be placed?	See response to PPI No. 11.
15	IN601			The bid form Option 3 requires us to provide LVT flooring instead of carpet. Is it safe to assume your looking for the add or deductive cost difference from the cost of the carpet?	Provide price in accordance with drawings and specifications.
16	Davis Bacon	RFP		May we request the Highway Davis Bacon be added to this project - The asphalt trades are specified on the Highway Davis Bacon	See response to PPI No. 12
17	Drawings	C-501	D1 & D2	On Sheet C-501 for details D1 and C2 it is indicated that the asphalt shall be a "minimum of 2" of NCDOT S9.5B". According to current NCDOT specifications a single lift of S9.5B cannot be placed thicker than 1.5". Would it be acceptable to switch to S9.5C to allow for a single 2" lift to be placed?	See response to PPI No. 11.
18		RFP		We request that the Highway Davis Bacon be added to this project. The asphalt trades are specified on the Highway Davis Bacon.	See response to PPI No. 12

19	C-501	D1 and C2		On Sheet C-501 for details D1 and C2 it is indicated that the asphalt shall be a "minimum of 2" of NCDOT S9.5B". According to current NCDOT specifications a single lift of S9.5B cannot be placed thicker than 1.5". Would it be acceptable to switch to S9.5C to allow for a single 2" lift to be placed?	See response to PPI No. 11.
20	Specs 1 of 2 Page 1459	33 40 00	3.9.1.1	We request for the Leakage Testing to be removed in regards to the RCP pipe. Our RCP supplier will not quote this project until the Leakage testing section has been removed.	Find another pipe supplier. Leakage Testing will not be removed.
21	1	RFP - BOND REQUIREMENTS		IT IS UNDERSTOOD WHERE THE BID BOND SHOULD BE MAILED, HOWEVER, THERE IS NO CLAIRIFICATION ON WHO SHOULD BE LISTED AS THE OBLIGEE. WILL YOU PLEASE CONFIRM?	DEPARTMENT OF THE NAVY

## ATTACHMENT C

### WAGE DETERMINATION – REV 1

"General Decision Number: NC20230038 01/06/2023

Superseded General Decision Number: NC20220038

State: North Carolina

Construction Type: Building

County: Onslow County in North Carolina.

BUILDING CONSTRUCTION PROJECTS (does not include single family homes or apartments up to and including 4 stories).

Note: Contracts subject to the Davis-Bacon Act are generally required to pay at least the applicable minimum wage rate required under Executive Order 14026 or Executive Order 13658. Please note that these Executive Orders apply to covered contracts entered into by the federal government that are subject to the Davis-Bacon Act itself, but do not apply to contracts subject only to the Davis-Bacon Related Acts, including those set forth at 29 CFR 5.1(a)(2)-(60).

If the contract is entered into on or after January 30, 2022, or the contract is renewed or extended (e.g., an option is exercised) on or after January 30, 2022:	. Executive Order 14026 generally applies to the contract.	
	. The contractor must pay all covered workers at least \$16.20 per hour (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on the contract in 2023.	
If the contract was awarded on or between January 1, 2015 and January 29, 2022, and the contract is not renewed or extended on or after January 30, 2022:	. Executive Order 13658 generally applies to the contract.	
	. The contractor must pay all covered workers at least \$12.15 per hour (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on that contract in 2023.	

The applicable Executive Order minimum wage rate will be adjusted annually. If this contract is covered by one of the Executive Orders and a classification considered necessary for performance of work on the contract does not appear on this wage determination, the contractor must still submit a conformance request.

Additional information on contractor requirements and worker protections under the Executive Orders is available at <http://www.dol.gov/whd/govcontracts>.

Modification Number      Publication Date  
0                              01/06/2023

IRON0848-005 07/01/2022

	Rates	Fringes
IRONWORKER, STRUCTURAL.....	\$ 27.35	16.65

-----  
PLUM0421-003 07/01/2020

	Rates	Fringes
PIPEFITTER.....	\$ 29.35	12.41

-----  
SUNC2011-019 08/24/2011

	Rates	Fringes
BRICKLAYER.....	\$ 19.00	0.00
CARPENTER (Drywall Hanging Only).....	\$ 13.83 **	0.00
CARPENTER (Form Work Only).....	\$ 13.38 **	1.80
CARPENTER, Excludes Drywall Hanging, and Form Work.....	\$ 16.39	4.26
CEMENT MASON/CONCRETE FINISHER...	\$ 15.80 **	0.00
ELECTRICIAN.....	\$ 20.64	6.68
HVAC MECHANIC (HVAC Duct Installation Only).....	\$ 17.37	1.82
LABORER: Common or General.....	\$ 11.13 **	0.32
LABORER: Landscape & Irrigation.....	\$ 9.13 **	0.28
LABORER: Pipelayer.....	\$ 13.35 **	2.80
LABORER: Mason Tender-Brick/Cement/Concrete.....	\$ 12.00 **	0.00
OPERATOR: Backhoe/Excavator/Trackhoe.....	\$ 18.47	2.41
OPERATOR: Bulldozer.....	\$ 16.00 **	1.87
OPERATOR: Crane.....	\$ 19.77	4.48
OPERATOR: Forklift.....	\$ 13.86 **	0.00
OPERATOR: Grader/Blade.....	\$ 15.72 **	1.49
OPERATOR: Loader.....	\$ 16.17 **	0.25
PAINTER: Brush, Roller and Spray.....	\$ 12.35 **	0.00
PLUMBER.....	\$ 18.48	3.93
ROOFER.....	\$ 11.75 **	1.06



SHEET METAL WORKER, Excludes HVAC Duct Installation.....	\$ 15.81 **	1.40
TRUCK DRIVER.....	\$ 13.38 **	1.48

---

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

---

==  
 \*\* Workers in this classification may be entitled to a higher minimum wage under Executive Order 14026 (\$16.20) or 13658 (\$12.15). Please see the Note at the top of the wage determination for more information.

Note: Executive Order (EO) 13706, Establishing Paid Sick Leave for Federal Contractors applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2017. If this contract is covered by the EO, the contractor must provide employees with 1 hour of paid sick leave for every 30 hours they work, up to 56 hours of paid sick leave each year. Employees must be permitted to use paid sick leave for their own illness, injury or other health-related needs, including preventive care; to assist a family member (or person who is like family to the employee) who is ill, injured, or has other health-related needs, including preventive care; or for reasons resulting from, or to assist a family member (or person who is like family to the employee) who is a victim of, domestic violence, sexual assault, or stalking. Additional information on contractor requirements and worker protections under the EO is available at <https://www.dol.gov/agencies/whd/government-contracts>.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

---

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of "identifiers" that indicate whether the particular rate is a union rate (current union negotiated rate for local), a survey rate (weighted average rate) or a union average rate (weighted union average rate).

#### Union Rate Identifiers

A four letter classification abbreviation identifier enclosed in dotted lines beginning with characters other than "SU" or "UAVG" denotes that the union classification and rate were prevailing for that classification in the survey. Example: PLUM0198-005 07/01/2014. PLUM is an abbreviation identifier of the union which prevailed in the survey for this classification, which in this example would be Plumbers. 0198 indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing

the wage determination. 07/01/2014 is the effective date of the most current negotiated rate, which in this example is July 1, 2014.

Union prevailing wage rates are updated to reflect all rate changes in the collective bargaining agreement (CBA) governing this classification and rate.

#### Survey Rate Identifiers

Classifications listed under the "SU" identifier indicate that no one rate prevailed for this classification in the survey and the published rate is derived by computing a weighted average rate based on all the rates reported in the survey for that classification. As this weighted average rate includes all rates reported in the survey, it may include both union and non-union rates. Example: SULA2012-007 5/13/2014. SU indicates the rates are survey rates based on a weighted average calculation of rates and are not majority rates. LA indicates the State of Louisiana. 2012 is the year of survey on which these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates under that identifier.

Survey wage rates are not updated and remain in effect until a new survey is conducted.

#### Union Average Rate Identifiers

Classification(s) listed under the UAVG identifier indicate that no single majority rate prevailed for those classifications; however, 100% of the data reported for the classifications was union data. EXAMPLE: UAVG-OH-0010 08/29/2014. UAVG indicates that the rate is a weighted union average rate. OH indicates the state. The next number, 0010 in the example, is an internal number used in producing the wage determination. 08/29/2014 indicates the survey completion date for the classifications and rates under that identifier.

A UAVG rate will be updated once a year, usually in January of each year, to reflect a weighted average of the current negotiated/CBA rate of the union locals from which the rate is based.

---

#### WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- \* an existing published wage determination
- \* a survey underlying a wage determination
- \* a Wage and Hour Division letter setting forth a position on a wage determination matter
- \* a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour National Office because National Office has responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations  
Wage and Hour Division  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

=====  
END OF GENERAL DECISION"

## WAGE DETERMINATION – REV 1

"General Decision Number: NC20230090 01/06/2023

Superseded General Decision Number: NC20220090

State: North Carolina

Construction Type: Highway

Counties: Brunswick, Cumberland, Currituck, Edgecombe, Franklin, Greene, Hoke, Johnston, Nash, New Hanover, Onslow, Pender, Pitt, Wake and Wayne Counties in North Carolina.

HIGHWAY CONSTRUCTION PROJECTS (excluding tunnels, building structures in rest area projects & railroad construction; bascule, suspension & spandrel arch bridges designed for commercial navigation, bridges involving marine construction; and other major bridges).

Note: Contracts subject to the Davis-Bacon Act are generally required to pay at least the applicable minimum wage rate required under Executive Order 14026 or Executive Order 13658. Please note that these Executive Orders apply to covered contracts entered into by the federal government that are subject to the Davis-Bacon Act itself, but do not apply to contracts subject only to the Davis-Bacon Related Acts, including those set forth at 29 CFR 5.1(a)(2)-(60).

If the contract is entered  into on or after January 30,  2022, or the contract is  renewed or extended (e.g., an  option is exercised) on or  after January 30, 2022:         	. Executive Order 14026  generally applies to the  contract.  . The contractor must pay  all covered workers at  least \$16.20 per hour (or  the applicable wage rate  listed on this wage  determination, if it is  higher) for all hours  spent performing on the  contract in 2023. 
If the contract was awarded on  or between January 1, 2015 and  January 29, 2022, and the  contract is not renewed or  extended on or after January  30, 2022:         	. Executive Order 13658  generally applies to the  contract.  . The contractor must pay all  covered workers at least  \$12.15 per hour (or the  applicable wage rate listed  on this wage determination,  if it is higher) for all  hours spent performing on  that contract in 2023. 

The applicable Executive Order minimum wage rate will be adjusted annually. If this contract is covered by one of the Executive Orders and a classification considered necessary for performance of work on the contract does not appear on this wage determination, the contractor must still submit a conformance request.

Additional information on contractor requirements and worker protections under the Executive Orders is available at <http://www.dol.gov/whd/govcontracts>.

Modification Number      Publication Date  
0                              01/06/2023

SUNC2014-005 11/17/2014

	Rates	Fringes
BLASTER.....	\$ 21.04	
CARPENTER.....	\$ 13.72 **	
CEMENT MASON/CONCRETE FINISHER...	\$ 14.48 **	
ELECTRICIAN		
Electrician.....	\$ 17.97	
Telecommunications		
Technician.....	\$ 16.79	.63
IRONWORKER.....	\$ 16.02 **	
LABORER		
Asphalt Raker and Spreader..	\$ 12.46 **	
Asphalt Screed/Jackman.....	\$ 14.33 **	
Carpenter Tender.....	\$ 12.88 **	
Cement Mason/Concrete		
Finisher Tender.....	\$ 12.54 **	
Common or General.....	\$ 10.20 **	
Guardrail/Fence Installer...	\$ 12.87 **	
Pipelayer.....	\$ 12.17 **	
Traffic Signal/Lighting		
Installer.....	\$ 14.89 **	
PAINTER		
Bridge.....	\$ 24.57	
POWER EQUIPMENT OPERATOR		
Asphalt Broom Tractor.....	\$ 11.85 **	
Bulldozer Fine.....	\$ 17.04	
Bulldozer Rough.....	\$ 14.34 **	
Concrete Grinder/Groover....	\$ 20.34	2.30
Crane Boom Trucks.....	\$ 20.54	
Crane Other.....	\$ 20.08	
Crane Rough/All Terrain.....	\$ 20.67	
Drill Operator Rock.....	\$ 14.38 **	
Drill Operator Structure....	\$ 21.14	
Excavator Fine.....	\$ 16.60	
Excavator Rough.....	\$ 14.00 **	
Grader/Blade Fine.....	\$ 18.47	
Grader/Blade Rough.....	\$ 14.62 **	
Loader 2 Cubic Yards or		
Less.....	\$ 13.76 **	
Loader Greater Than 2		
Cubic Yards.....	\$ 14.14 **	
Material Transfer Vehicle		
(Shuttle Buggy).....	\$ 15.18 **	
Mechanic.....	\$ 17.55	
Milling Machine.....	\$ 15.36 **	
Off-Road Hauler/Water		
Tanker.....	\$ 11.36 **	
Oiler/Greaser.....	\$ 13.55 **	
Pavement Marking Equipment..	\$ 12.11 **	

Paver Asphalt.....	\$ 15.59	**
Paver Concrete.....	\$ 18.20	
Roller Asphalt Breakdown....	\$ 12.45	**
Roller Asphalt Finish.....	\$ 13.85	**
Roller Other.....	\$ 11.36	**
Scraper Finish.....	\$ 12.71	**
Scraper Rough.....	\$ 11.35	**
Slip Form Machine.....	\$ 16.50	
Tack Truck/Distributor		
Operator.....	\$ 14.52	**

#### TRUCK DRIVER

GVWR of 26,000 or Less.....	\$ 11.12	**
GVWR of 26,001 Lbs or		
Greater.....	\$ 12.37	**

-----

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

=====

\*\* Workers in this classification may be entitled to a higher minimum wage under Executive Order 14026 (\$16.20) or 13658 (\$12.15). Please see the Note at the top of the wage determination for more information.

Note: Executive Order (EO) 13706, Establishing Paid Sick Leave for Federal Contractors applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2017. If this contract is covered by the EO, the contractor must provide employees with 1 hour of paid sick leave for every 30 hours they work, up to 56 hours of paid sick leave each year. Employees must be permitted to use paid sick leave for their own illness, injury or other health-related needs, including preventive care; to assist a family member (or person who is like family to the employee) who is ill, injured, or has other health-related needs, including preventive care; or for reasons resulting from, or to assist a family member (or person who is like family to the employee) who is a victim of, domestic violence, sexual assault, or stalking. Additional information on contractor requirements and worker protections under the EO is available at <https://www.dol.gov/agencies/whd/government-contracts>.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

-----

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of "identifiers" that indicate whether the particular rate is a union rate (current union negotiated rate for local), a survey rate (weighted average rate) or a union average rate (weighted union average rate).

Union Rate Identifiers

A four letter classification abbreviation identifier enclosed in dotted lines beginning with characters other than ""SU"" or ""UAVG"" denotes that the union classification and rate were prevailing for that classification in the survey. Example: PLUM0198-005 07/01/2014. PLUM is an abbreviation identifier of the union which prevailed in the survey for this classification, which in this example would be Plumbers. 0198 indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. 07/01/2014 is the effective date of the most current negotiated rate, which in this example is July 1, 2014.

Union prevailing wage rates are updated to reflect all rate changes in the collective bargaining agreement (CBA) governing this classification and rate.

#### Survey Rate Identifiers

Classifications listed under the ""SU"" identifier indicate that no one rate prevailed for this classification in the survey and the published rate is derived by computing a weighted average rate based on all the rates reported in the survey for that classification. As this weighted average rate includes all rates reported in the survey, it may include both union and non-union rates. Example: SULA2012-007 5/13/2014. SU indicates the rates are survey rates based on a weighted average calculation of rates and are not majority rates. LA indicates the State of Louisiana. 2012 is the year of survey on which these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates under that identifier.

Survey wage rates are not updated and remain in effect until a new survey is conducted.

#### Union Average Rate Identifiers

Classification(s) listed under the UAVG identifier indicate that no single majority rate prevailed for those classifications; however, 100% of the data reported for the classifications was union data. EXAMPLE: UAVG-OH-0010 08/29/2014. UAVG indicates that the rate is a weighted union average rate. OH indicates the state. The next number, 0010 in the example, is an internal number used in producing the wage determination. 08/29/2014 indicates the survey completion date for the classifications and rates under that identifier.

A UAVG rate will be updated once a year, usually in January of each year, to reflect a weighted average of the current negotiated/CBA rate of the union locals from which the rate is based.

---

#### WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- \* an existing published wage determination
- \* a survey underlying a wage determination

- \* a Wage and Hour Division letter setting forth a position on a wage determination matter
- \* a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour National Office because National Office has responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations  
Wage and Hour Division  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

=====  
END OF GENERAL DECISION"

(End of Summary Changes)